

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC  
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample Gorilla Glue 8

Sample ID SD221110-035 (54760) Matrix Flower (Inhalable Cannabis Good)

Sampled - Received Nov 09, 2022 Reported Nov 11, 2022  
Analyses executed CANX, MWA

Laboratory note: The estimated concentration of the unknown peak in the sample is 0.59%. Currently PharmLabs Laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (x)-THC or d9-THC. At this time there are no reference standards available for (x)-THC. (x)-THC is a different compound from the main (y)-THC cannabinoids and therefore, these two compounds may have different effects. Using the most advanced instruments and techniques available, the separation of (x)-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the identified peak to be a combination of (y)-THC and d9-THC with the majority, if not all, of the concentration being (y)-THC. Total (y)-THC Concentration is estimated to be 10.60%.

CANX - Cannabinoids Analysis

Analyzed Nov 11, 2022 | Instrument HPLC  
Measurement Uncertainty at 95% confidence 7.81%

Table with columns: Analyte, LOD mg/g, LOQ mg/g, Result %, Result mg/g. Lists various cannabinoids like 11-Hydroxy-Δ8-Tetrahydrocannabinol, Cannabidiol, etc., with their respective concentrations.

MWA - Moisture Content & Water Activity Analysis

Analyzed Nov 11, 2022 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Table with columns: Analyte, Result, Limit, Analyte, Result, Limit. Shows Moisture (Mw) at 5.4% and Water Activity (WA) at 0.29.

UI Not Identified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detect on  
LOQ Limit of Quantitation  
<LOQ Detected  
>ULDL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Authorized Signature

Brandon Stahl

Brandon Stahl, Lab Manager  
Fri, 11 Nov 2022 10:15:37 -0500

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

\*This report shall not be reproduced, copied, or distributed without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and bottles disclosed. Results are reported on an "as received" basis unless otherwise specified. Where a percentage is reported, that value is related to the sample weight in accordance with Federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the material evaluation unless explicitly required by Federal, state or local laws and has not been reported on the certificate of analysis. Measurement of uncertainty in various ways is required.

