


Sample: 06-13-2023-34613

Sample Received: 06/13/2023;

Report Created: 06/16/2023; Expires: 06/13/2024

Strawberries and Cream  
Plant, Flower - Uncured



18.381 %

Total THC

0.104 %

Δ-9 THC

23.080 %

Total Cannabinoids

<LOQ %

Total CBD

## Cannabinoids

(Testing Method: HPLC, CON-P-3000)

Date Tested: 06/13/2023

Complete

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0578	0.0867	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0578	0.0867	0.104	1.040
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0578	0.0867	20.840	208.405
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0578	0.0867	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0578	0.0867	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0289	0.0867	<LOQ	<LOQ
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0578	0.0867	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0578	0.0867	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.0578	0.0867	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.0578	0.0867	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.0578	0.0867	ND	ND
Cannabidivarin (CBDV)	0.0578	0.0867	ND	ND
Cannabidivarinic Acid (CBDVA)	0.0578	0.0867	ND	ND
Cannabidiol (CBD)	0.0578	0.0867	ND	ND
Cannabidiolic Acid (CBDA)	0.0289	0.0867	<LOQ	<LOQ
Cannabigerol (CBG)	0.0289	0.0867	<LOQ	<LOQ
Cannabigerolic Acid (CBGA)	0.0578	0.0867	1.860	18.601
Cannabinol (CBN)	0.0578	0.0867	ND	ND
Cannabinolic Acid (CBNA)	0.0578	0.0867	ND	ND
Cannabichromene (CBC)	0.0578	0.0867	ND	ND
Cannabichromenic Acid (CBCA)	0.0578	0.0867	0.275	2.751
<b>Total</b>			<b>23.080</b>	<b>230.797</b>

Total THC = THCA \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%  
Total CBD Measurement of Uncertainty: ± 2.000%  
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Amended report issued to reflect change in sample identification.



New Bloom Labs  
6121 Heritage Park Drive, A500  
Chattanooga, TN 37416  
(844) 837-8223  
TN DEA#: RN0563975  
ANAB Testing Laboratory (AT-2868): ISO/IEC  
17025:2017

*Natalie Siracusa*  
Natalie Siracusa  
Laboratory Director

Powered by  
reLIMS  
info@relims.com